POWER FOR PROFESSIONAL

ZHEJIANG YIDA ELECTRICAL APPLIANCE CO.,LTD

Add：Baiyangdu Industrial District, 321200, Wuyi, Zhejiang, China

Tel：0086-87627506　Mobile:0086 13282897555

Email：zjyida7@chinayidatools.com

www.chinayidatools.com

POWER FOR PROFESSIONAL

www.chinayidatools.com

CATALOGUE 2026

POWER FOR PROFESSIONAL

www.chinayidatools.com

COMPANY INTRODUCTION

YIDA, established in 1994, with an area of 66,800 square meters. YIDA is one of the biggest power tools factories in China.Yida is specialized in development, production, and sales of power tools ranging over electric drill, impact drill, router, circular saw, angle grinder, electric screwdriver, jig saw,rotary hammer, marble cutter, mixer, lithium impact wrench, lithium drill, lithium impact driver and etc.
YIDA certificate: ISO9001:2008;ISO14001:2004;SA8000,2008.
Most of products comply with GS, CE, EMC, UL, CUL and CCC.Now almost all the products are exported to Europe, South America, Asia and Africa…more than twenty countries and regions.

12V Lithium Ion

Model.	YDZ02S-12
Battery voltage Rating	12V
Battery capacity	1.5Ah/2.0Ah
Chuck Size	10mm
No Load Speed	0-400/0-1400rpm
Max Torque	25N.m
Net Weight	1.1kgs
Packing Size	32.7x9.7x28.5cm

BLACK PRO LITHIUM DRILL&DRIVERS

The ergonomic tool design makes the user easier and easier to operate.
Built-in LED work light for easier operation in dark environments
Lithium-ion batteries continue to provide tools for longer working hours.

Model.	YDZ01-12
Battery voltage Rating	12V
Battery capacity	1.5Ah/2.0Ah
Chuck Size	10mm
No Load Speed	0-800rpm
Max Torque	15N.m
Net Weight	1.1kgs
Packing Size	32.7x9.7x28.5cm

Model.	YDZ02-12
Battery voltage Rating	12V
Battery capacity	1.5Ah/2.0Ah
Chuck Size	10mm
No Load Speed	0-400/0-1400rpm
Max Torque	25N.m
Net Weight	1.1kgs
Packing Size	32.7x9.7x28.5cm

The ergonomic tool design makes the user easier and easier to operate.
Built-in LED work light for easier operation in dark environments
Lithium-ion batteries continue to provide tools for longer working hours
The maximum torque reaches 100N.m

Model.	YDL01-12
Battery voltage Rating	12V
Battery capacity	1.5Ah/2.0Ah
Impact rate	0-3000ipm
No Load Speed	2400rpm
Max Torque	100N.m
Net Weight	1.1kgs
Packing Size	32.7x9.7x28.5cm

LITHIUM ELECTRIC DRILL

Model.	YDZ05-12/YDZ05S-12
Battery voltage Rating	12V
Battery capacity	1.5Ah/2.0Ah
Chuck Size	10mm
No Load Speed	0-400/0-1500rpm
Max Torque	25N.m
Net Weight	1.3kgs
Packing Size	24x8x22.5cm

LITHIUM ELECTRIC DRILL

Model.	YDZ06S-16
Battery voltage Rating	16V
Battery capacity	1.5Ah/2.0Ah
Chuck Size	10mm
No Load Speed	0-400/0-1500rpm
Max Torque	26N.m
Net Weight	1.3kgs
Packing Size	24x8x22.5cm

LITHIUM ELECTRIC DRILL

Model.	YDZ07S- 20
Battery voltage Rating	20V
Battery capacity	1.5Ah/2.0Ah
Chuck Size	10mm
No Load Speed	0-400/0-1500rpm
Max Torque	28N.m
Net Weight	1.4kgs
Packing Size	24x8x22.5cm

LITHIUM ELECTRIC DRILL

Model.	YDZ09-20
Power	20V DC
Motor	#4815 Brushless
No-load speed	0-350/0-1800RPM
Chuck size	10mm/13mm
Max. Torque	60N.m
Nex Weight	1.05kgs
packing size	

LITHIUM ELECTRIC DRILL

Model.	YDZ10-20
Power	20V DC
Motor	#4215 Brushless
No-load speed	0-450/0-2000RPM
Chuck size	10mm/13mm
Max. Torque	40N.m
Nex Weight	0.85kgs
packing size	

LITHIUM IMPACT DRILL

Model.	YDJ02-20
Power	20V DC
Motor	#4815 Brushless
No-load speed	0-350/0-1800RPM
Impact rate	0-5250/0-27000BPM
Chuck size	10mm/13mm
Max. Torque	60N.m
Nex Weight	1.1kgs
packing size	

BLACK PRO LITHIUM IMPACT DRILL

LITHIUM IMPACT DRILL

Model.	YDJ03-20
Power	20V DC
Motor	#5222 Brushless
No-load speed	0-550/0-2200RPM
Impact rate	0-8500/0-35000BPM
Chuck size	13mm keyless
Max. Torque	130N.m
Net Weight	1.55kgs
Packing Size	

LITHIUM IMPACT DRILL

Model.	YDJ04-20
Power	20V DC
Motor	#4215 Brushless
No-load speed	0-450/0-2000RPM
Impact rate	0-5250/0-30000BPM
Chuck size	10mm/13mm
Max. Torque	40N.m
Net Weight	0.98kgs
Packing Size	17.8x8.1x19.7cm

LITHIUM IMPACT DRILL

Model.	YDJ05-20
Rated voltage	20V
Mechanical two-speed	0-450/0-2000RPM
Impulse frequency	0-6750/0-30000IBM
Maximum working capacity	Steel plates:13mm concrete:13mm plank:45mm
Electric machine	48*20
Maximum torque	90N.m
Net Weight	1.2kgs
Packing Size	17.4x8x21.2cm

BLACK PRO LITHIUM WRENCH

LITHIUM IMPACT DRIVER

Model.	YDL04-20
Power	20V DC
Motor	#4815 Brushless
No-load speed	0-1600/0-2200RPM
Impact rate	0-2100/0-3000BPM
Chuck size	1/4"Hex
Max. Torque	180N.m
Net Weight	1.19kgs

LITHIUM WRENCH

Model.	YDP04-20
Power	20V DC
Motor	#4815 Brushless
No-load speed	0-4200RPM
Impact rate	0-2100/0-3000BPM
Chuck size	1/2" Square
Max. Torque	320N.m
Net Weight	1.0kg

LITHIUM WRENCH

Model.	YDP05-20
Power	20V DC
Motor	# 6320 Brushless
No-load speed	0-900/0-1200/0-1700RPM
Impact rate	0-1800/0-2000/0-2200RPM
Chuck size	3/4" Square
Max. Torque	1300N.m
Net Weight	3.2kgs

LITHIUM WRENCH

Model.	YDP06-20
Power	20V DC
Motor	# 5315 Brushless
No-load speed	0-900/0-1700/0-2200RPM
Impact rate	0-1200/0-2100/0-2700RPM
Chuck size	1/2" Square
Max. Torque	700N.m
Net Weight	2.45kgs

STRONG & POWERFUL DRAYWALL SCREW DRIVER

- One machine multi-purpose, cabinet installation, ceiling installation, furniture maintenance, etc
- Powerful, easy to handle all kinds of wood
- The fuselage is light, and the hands are not tired for a long time

DRYWALL SCREW DRIVER

Model.	YDL02-20
Power	20V DC
Motor	#4820 Brushless
No-load speed	0-4200RPM
Bore size	1/4" Hex
Disc size	25N.m

- Die-cast aluminum gear housing
- Spindle lock for quick grinding
- Disc changes
- Right or left handle mount

LITHIUM ANGLE GRINDER

Model.	YDM03-20
Power	20V DC
Motor	#4830 Brushless
No-load speed	0-8500RPM
Bore size	M14
Disc size	100/115/125mm

- Die-cast aluminum gear housing
- Spindle lock for quick grinding
- Disc changes
- Right or left handle mount

LITHIUM ANGLE GRINDER

Model.	YDM01-20
Power	20V DC
Motor	#5230 Brushless
No-load speed	0-8000RPM
Bore size	M14
Disc size	100/115/125mm

4V SCREWDRIVER

Model.	YDL05-4
Battery voytage rating	3.6V
Batter capacity	2.0Ah
No load speed	250/350/450rpm
Torque setting	1-3step
Max torque	5N/M

HOT

10mm ELECTRIC DRILL

Model.	J1Z-DB10-10CE
Drill Capacity	1.5-10mm
Input Power	400W
Rated voltage/frequency	230V-240V/50HZ
No Load Speed	0-3000rpm
Net Weight	1.4kgs
Packing Size	27x7x24cm

10mm ELECTRIC DRILL

Model.	J1Z-DB7-10CE
Drill Capacity	1.5-10mm
Input Power	400W
Rated voltage/frequency	230V-240V/50Hz
No Load Speed	0-3000rpm
Net Weight	1.4kgs
Packing Size	24x6.5x22cm

10mm ELECTRIC DRILL

Model.	J1Z-DB8-10CE
Drill Capacity	1.5-10mm
Input Power	500W
Rated voltage/frequency	230V-240V/50Hz
No Load Speed	0-3000rpm
Net Weight	1.6kgs
Packing Size	27x6.5x22cm

10mm ELECTRIC DRILL

Model.	J1Z-DBT1-10CE
Drill Capacity	1.5-10mm
Input Power	350W
Rated voltage/frequency	230V-240V/50Hz
No Load Speed	0-750rpm
Net Weight	2.9kgs
Packing Size	25.5x23.5x6.5cm

6mm ELECTRIC SCREWDRIVER

Model.	P1L-DB6-6
Bit Capacity	1/4"
Input Power	500W
Rated voltage/frequency	230V-240V/50Hz
No Load Speed	0-4200rpm
Net Weight	1.4kgs
Packing Size	27.5x7x21cm

6mm ELECTRIC SCREWDRIVER

Model.	P1L-DB3-6
Bit Capacity	1/4"
Input Power	600W
Rated voltage/frequency	230V-240V/50Hz
No Load Speed	0-2400rpm
Net Weight	1.8kgs
Packing Size	33x7.5x22cm

POWER FOR PROFESSIONAL

HOT

13mm IMPACT DRILL

4 Bearings within housing

Model.	Z1J-DBA8S-13E	Z1J-DBA8-13E	Z1J-DBA8L-13E
Drill Capacity	1.5-13mm	1.5-13mm	1.5-13mm
Input Power	550W	650W	750W
Rated voltage/frequency	230V-240V/50Hz	230V-240V/50Hz	230V-240V/50Hz
No Load Speed	0-3000rpm	0-3000rpm	0-3000rpm
Blows Per Minute	48000BPM	48000BPM	48000BPM
Net Weight	2kgs	2.1kgs	2.1kgs
Packing Size	28.5x7x23cm	30x7x23cm	30x7x23cm

13mm IMPACT DRILL

Model.	Z1J-DBA14S-13E	Z1J-DBA14-13E	Z1J-DBA14L-13E	Z1J-DBA14LL-13E
Drill Capacity	1.5-13mm	1.5-13mm	1.5-13mm	1.5-13mm
Input Power	550W	650W	710W	810W
Rated voltage/frequency	230V-240V/50Hz	230V-240V/50Hz	230V-240V/50Hz	230V-240V/50Hz
No Load Speed	0-3000rpm	0-3000rpm	0-3100rpm	0-3000rpm
Blows Per Minute	48000BPM	48000BPM	49600BPM	48000BPM
Net Weight	1.8kgs	1.9kgs	1.9kgs	1.9kgs
Packing Size	29.5x7.5x24.5cm	29.5x7.5x24.5cm	29.5x7.5x24.5cm	29.5x7.5x24.5cm

13mm IMPACT DRILL

Model.	Z1J-DBA15S-13E	Z1J-DBA15-13E	Z1J-DBA15L-13E
Drill Capacity	1.5-13mm	1.5-13mm	1.5-13mm
Input Power	550W	650W	750W
Rated voltage/frequency	230V-240V/50Hz	230V-240V/50Hz	230V-240V/50Hz
No Load Speed	0-3000rpm	0-3100rpm	0-3100rpm
Blows Per Minute	48000BPM	48000BPM	48000BPM
Net Weight	1.8kgs	1.9kgs	1.9kgs
Packing Size	28.5x6.5x21.5cm	28.5x6.5x21.5cm	28.5x6.5x21.5cm

BLACK PRO IMPACT DRILL

13mm IMPACT DRILL

Model.	Z1J-DBA16S-13E	Z1J-DBA16-13E	Z1J-DBA16L-13E
Drill Capacity	1.5-13mm	1.5-13mm	1.5-13mm
Input Power	550W	650W	710W
Rated voltage/frequency	230V-240V/50Hz	230V-240V/50Hz	230V-240V/50Hz
No Load Speed	0-3000rpm	0-3100rpm	0-3100rpm
Blows Per Minute	48000BPM	48000BPM	48000BPM
Net Weight	2.1kgs	2.1kgs	2.1kgs
Packing Size	30x7.5x22cm	30x7.5x22cm	30x7.5x22cm

13mm IMPACT DRILL

Model.	Z1J-DBA18S-13E
Drill Capacity	1.5-13mm
Input Power	550W
Rated voltage/frequency	230V-240V/50Hz
No Load Speed	0-3000rpm
Blows Per Minute	48000BPM
Net Weight	1.8kgs
Packing Size	29.5x7.5x24.5cm

13mm IMPACT DRILL

Model.	Z1J-DBL-13E	Z1J-DBL2-13E	Z1J-DBL3-13E
Drill Capacity	1.5-13mm	1.5-13mm	1.5-13mm
Input Power	650W	750W	810W
Rated voltage/frequency	230V-240V/50Hz	230V-240V/50Hz	230V-240V/50Hz
No Load Speed	0-2800rpm	0-3000rpm	0-3000rpm
Blows Per Minute	44800BPM	48000BPM	48000BPM
Net Weight	2.2kgs	2.3kgs	2.5kgs
Packing Size	29.5x7.5x24.5cm	29.5x7.5x24.5cm	29.5x7.5x24.5cm

POWER FOR PROFESSIONAL

BLACK PRO IMPACT DRILL

HOT

13mm

IMPACT DRILL

Model.	Z1J-DBA20S-13E	Z1J-DBA20-13E	Z1J-DBA20L-13E
Drill capacity	1.5-13mm	1.5-13mm	1.5-13mm
Input power	550W	650W	750W
Rated voltage/Frequency	230-240V/50Hz	230-240V/50Hz	230-240V/50Hz
No-load speed	0-3000rpm	0-3100rpm	0-3100rpm
Blows Per Minute	48000BPM	48000BPM	48000BPM
Net Weight	1.8kgs	2.2kgs	2.3kgs
Packing size	28.5x6.5x21.5cm	28.5x6.5x21.5cm	28.5x6.5x21.5cm

HOT

13mm

IMPACT DRILL

Model.	Z1J-DBA21S-13E	Z1J-DBA21-13E	Z1J-DBA21L-13E
Drill capacity	1.5-13mm	1.5-13mm	1.5-13mm
Input power	550W	650W	750W
Rated voltage/Frequency	230-240V/50Hz	230-240V/50Hz	230-240V/50Hz
No-load speed	0-3000rpm	0-3000rpm	0-3000rpm
Impact rate	48000BPM	48000BPM	48000BPM
Net Weight	1.8kgs	1.85kgs	1.95kgs
Packing size	28.2x6.6x20.2cm	28.8x6.6x20.2cm	29.4x6.6x20.2cm

BLACK PRO IMPACT DRILL

FOR PROMOTION

HOT

13mm

IMPACT DRILL

Model.	Z1J-DBA22S-13E	Z1J-DBA22-13E	Z1J-DBA22L-13E
Drill capacity	1.5-13mm	1.5-13mm	1.5-13mm
Input power	550W	650W	710W
Rated voltage/Frequency	230-240V/50Hz	230-240V/50Hz	230-240V/50Hz
No-load speed	0-3100rpm	0-3100rpm	0-3100rpm
Impact rate	48000BPM	48000BPM	48000BPM
Net Weight	1.75kgs	1.8kgs	1.95kgs
Packing size	28.5x6.5x21.5cm	28.5x6.5x21.5cm	28.5x6.5x21.5cm

INDUSTRIAL

PATENT DESIGN

HOT

13mm

IMPACT DRILL

Model.	Z1J-DBA23-13E	Z1J-DBA23L-13E
Drill capacity	1.5-13mm	1.5-13mm
Input power	650W	750W
Rated voltage/Frequency	230-240V/50Hz	230-240V/50Hz
No-load speed	0-3000rpm	0-3100rpm
Impact rate	48000BPM	48000BPM
Net Weight	1.8kgs	1.9kgs
Packing size	29.4x7.2x21.5cm	29.8x7.2x21.5cm

POWER FOR PROFESSIONAL

DUAL SPEED ALUMINUM HEAD SHELL IMPACT DRILL

13mm IMPACT DRILL

Model.	Z1J-DBE4-13E	Z1J-DBE4L-13E
Drill Capacity	1.5-13mm	1.5-13mm
Input Power	850W	1050W
Rated voltage/frequency	230V-240V/50Hz	230V-240V/50H
No Load Speed	0-2800rpm	0-1100rpm
Blows Per Minute	44800BPM	16500BPM
Net Weight	2.8kgs	3.2kgs
Packing Size	33x8.5x25cm	33x8.5x25cm

13mm IMPACT DRILL

Model.	Z1J-DBE6S-13E	Z1J-DBE6-13E
Drill Capacity	1.5-13mm	1.5-13mm
Input Power	720W	850W
Rated voltage/frequency	230V-240V/50Hz	230V-240V/50Hz
No Load Speed	0-3000rpm	0-2800rpm
Blows Per Minute	48000bpm	44800bpm
Net Weight	2.6kgs	2.8kgs
Packing Size	33.5x7.5x24cm	33.5x7.5x24cm

13mm IMPACT DRILL

Model.	Z1J-DBE14S-13E	Z1J-DBE14-13E
Drill Capacity	1.5-13mm	1.5-13mm
Input Power	720W	850W
Rated voltage/frequency	230V-240V/50Hz	230V-240V/50Hz
No Load Speed	0-3000rpm	0-2800rpm
Blows Per Minute	48000bpm	48000bpm
Net Weight	2.5kgs	2.7kgs
Packing Size	27x7x23cm	27x7x23cm

13mm IMPACT DRILL

Model.	Z1J-DBC3-16E	Z1J-DBC3L-16E
Drill Capacity	1.5-13mm	1.5-13mm
Input Power	850W	1050W
Rated voltage/frequency	230V-240V/50Hz	230V-240V/50Hz
No Load Speed	0-3000/0-1100rpm	0-3000/0-1100rpm
Blows Per Minute	42000/16500BPM	42000/16500BPM
Net Weight	3.2kgs	3.4kgs
Packing Size	36.5x7.5x26cm	36.5x7.5x26cm

13mm IMPACT DRILL

Model.	Z1J-DBC6-16E	Z1J-DBC6L-16E
Drill Capacity	1.5-13mm	1.5-13mm
Input Power	850W	1050W
Rated voltage/frequency	230V-240V/50Hz	230V-240V/50Hz
No Load Speed	0-2800/0-1000rpm	0-3000/1100rpm
Blows Per Minute	42000/15000BPM	45000/16500BPM
Net Weight	3.1kgs	3.3kgs
Packing Size	36x9x25.5cm	36x9x25.5cm

13mm IMPACT DRILL

Model.	Z1J-DBC14-16E	Z1J-DBC14L-16E
Drill Capacity	1.5-13mm	1.5-13mm
Input Power	850W	1050W
Rated voltage/frequency	230V-240V/50Hz	230V-240V/50Hz
No Load Speed	0-2800/0-1100rpm	0-3000/0-1100rpm
Blows Per Minute	42000/16500BPM	45000/16500BPM
Net Weight	3.6kgs	3.6kgs
Packing Size	36.5x8.5x26cm	36.5x8.5x26cm

NEW

100/115/125mm ANGLE GRINDER

Model.	DB2510
Disc Diameter	100/115/125mm
Rated Input power	800W
No load speed	11000r/min
Voltage/Frequency	220-240v/50/60Hz
Spindle thread size	M10/M14
G.W/N.W.	20/19kgs
Measurement	60x33x22cm;10pcs/ctn

NEW

100/115/125mm ANGLE GRINDER

Model.	DB4030
Disc Diameter	100/115/125mm
Rated Input power	750W
No load speed	11000r/min
Voltage/Frequency	220-240v/50/60Hz
Spindle thread size	M10/M14
G.W/N.W.	20/19kgs
Measurement	60x33x22cm 10pcs/ctn

NEW

100/115/125mm ANGLE GRINDER

Model.	DB2510B
Disc Diameter	100/115/125mm
Rated Input power	800W
No load speed	11000r/min
Voltage/Frequency	220-240v/50/60Hz
Spindle thread size	M10/M14
G.W/N.W.	20/19kgs
Measurement	60x33x22cm;10pcs/ctn

NEW

100/115/125mm ANGLE GRINDER

Model.	DB1007
Disc Diameter	100/115/125mm
Rated Input power	950W
No load speed	11000r/min
Voltage/Frequency	220-240v/50/60Hz
Spindle thread size	M10/M14
G.W/N.W.	14/13kgs
Measurement	36x33x22cm

NEW

100/115/125mm ANGLE GRINDER

Model.	DB2511
Disc Diameter	100/115/125mm
Rated Input power	1100W
No load speed	11000r/min
Voltage/Frequency	220-240v/50/60Hz
Spindle thread size	M10/M14
G.W/N.W.	14/13kgs
Measurement	36x33x22cm;6pcs/ctn

100/115/125mm ANGLE GRINDER

Model.	S1M-DB20-125
Disc Diameter	100/115/125mm
Rated Input power	850W
No load speed	11000r/min
Voltage/Frequency	220-240v/50/60Hz
Spindle thread size	M10/M14
G.W/N.W.	13/12kgs
Measurement	36x33x22cm

NEW

100/115/125mm ANGLE GRINDER

Model.	DB12501
Disc Diameter	100/115/125mm
Rated Input power	950W
No load speed	11000r/min
Voltage/Frequency	220-240v/50/60Hz
Spindle thread size	M10/M14
G.W/N.W.	14/13kgs
Measurement	39.5x33x22cm;6pcs/ctn

- Die-cast aluminum gear housing
- Spindle lock for quick grinding
- Disc changes
- Right or left handle mount

115/125mm ANGLE GRINDER

Model.	S1M-DB14-125
Disc Capacity	115mm/125mm
Input Power	960/1100W
Rated Voltage/Frequency	220-240V/50-60Hz
No load speed	11000rpm
Net Weight	3.0kgs
Packing Size	42X29X28cm

- Die-cast aluminum gear housing
- Spindle lock for quick grinding
- Disc changes
- Right or left handle mount

NEW

100/115/125mm ANGLE GRINDER

Model.	DB12502
Disc Diameter	100/115/125mm
Rated Input power	950W
No load speed	5000-11000r/min
Voltage/Frequency	220-240v/50/60Hz
Spindle thread size	M10/M14
G.W/N.W.	14/13kgs
Measurement	39.5x33x22cm;6pcs/ctn

Variable Speed

- Die-cast aluminum gear housing
- Spindle lock for quick grinding
- Disc changes
- Right or left handle mount

180/230mm ANGLE GRINDER

Model.	S1M-DB17-230
Disc Capacity	180mm/230mm
Input Power	2200W/2600W
Rated Voltage/Frequency	220-240V/50-60Hz
No load speed	8500rpm/6500rpm
Net Weight	6.5Kgs
Packing Size	58X19X29cm

- Die-cast aluminum gear housing
- Spindle lock for quick grinding
- Disc changes
- Right or left handle mount

NEW

100/115/125mm ANGLE GRINDER

Model.	DB12503
Disc Diameter	100/115/125mm
Rated Input power	1100W
No load speed	4000-11000r/min
Voltage/Frequency	220-240v/50/60Hz
Spindle thread size	M10/M14
G.W/N.W.	15/14kgs
Measurement	40x33x22cm;6pcs/ctn

- Die-cast aluminum gear housing
- Spindle lock for quick grinding
- Disc changes
- Right or left handle mount

NEW

180/230mm ANGLE GRINDER

Model.	DB2303
Disc Diameter	180mm/230mm
Rated Input power	2350W
No load speed	8500rpm/6500rpm
Voltage/Frequency	220-240v/50/60Hz
Spindle thread size	M14
G.W/N.W.	14/13kgs
Measurement	57x28x18cm;2pcs/ctn

- Die-cast aluminum gear housing
- Spindle lock for quick grinding
- Disc changes
- Right or left handle mount

POWER FOR PROFESSIONAL

BLACK PRO ELECTRIC HAMMER

BLACK PRO HAMMER & PICKAXE

26MM ROTARY HAMMER

Model.	YD-2601
Input Power	850W
No-load speed	0-1180r/min
Impact rate	0-5200BPM
Impact energy	3.4J
Tool holder	SDS-PLUS
Max.drilling diameter	Concrete/Steel/Wood:26mm/13mm/30mm
Net weight	2.8kgs

26MM ROTARY HAMMER

Model.	YD-2602
Input Power	1100W
No-load speed	0-1300r/min
Impact rate	0-4900BPM
Impact energy	3.4J
Tool holder	SDS-PLUS
Max.drilling diameter	Concrete/Steel/Wood:34mm/13mm/30mm
Net weight	3kgs

32MM ROTARY HAMMER

Model.	RH3206
Voltage/Frequency	220-230V/50-60Hz
Rated Input Power	1500W
No-load speed	500-1300r/min
Impact Rate	1800-4000/min
Impact Joules	6J
Max.drilling capacity	32mm(Concrete)
Functions	3
Weight	5.5Kgs
Packing Quantity	2pc/ctn
Toolholder	SDS-PLUS

DEMOLITION HAMMER

Model.	DH11E
Voltage/Frequency	220-230V/50-60Hz
Rated Input Power	1500W
Impact Rate	9900BPM(1300r/min)
No-load speed	0-1300r/min
Impact Joules	4J
Max.drilling capacity	28/13/30mm(concrete/Steel/wood)
Weight	5.5Kgs
Packing Quantity	2pc/ctn

DEMOLITION HAMMER

Model.	DH0835T
Voltage/Frequency	220-230V/50-60Hz
Rated Input Power	1350W
Impact Rate	3900BPM
Impact Joules	12J
Chuck device	Hex(17mm)
Functions	Chisel
Weight	6.4Kgs
Packing Quantity	2Pc/ctn
Pakage type	BMC

DEMOLITION HAMMER

Model.	DH65A
Voltage/Frequency	220-230V/50-60Hz
Rated Input Power	1600W
Impact Rate	1500BPM
Impact Joules	45J
Chuck device	Hex(30mm)
Functions	Chisel
Weight	13.5Kgs
Packing Quantity	1Pc/ctn
Pakage type	BMC

DEMOLITION HAMMER

Model.	DH1304
Voltage/Frequency	220-230V/50-60Hz
Rated Input Power	1950W
Impact Rate	1850BPM
Impact Joules	70J
Chuck device	Hex(30mm)
Functions	Chisel
Weight	16Kgs
Packing Quantity	1Pc/ctn
Pakage type	BMC

- Variable speed 8000-30000RPM
- With soft start
- Lock-off button
- Accurate adjustment

8/12mm ELECTRIC ROUTER

Model.	M1R-DB2-8	M1R-DB2-12
Collet Capacity	8mm	12mm
Input Power	1200W	1600W
Rated voltage/frequency	230V-240V/50Hz	230V-240V/50Hz
No Load Speed	10000-28000rpm	8000-30000rpm
Net Weight	3.5kgs	3.5kgs
Packing Size	29.5x14.5x25.5cm	29.5x14.5x25.5cm

8/12mm ELECTRIC ROUTER

Model.	M1R-DB3-8	M1R-DB3-12
Collet Capacity	8mm	12mm
Input Power	1200W	1600W
Rated voltage/frequency	230V-240V/50Hz	230V-240V/50Hz
No Load Speed	10000-28000rpm	8000-30000rpm
Net Weight	3.5kgs	4.2kgs
Packing Size	29.5x14.5x25.5cm	29.5x14.5x25.5cm

8/12mm ELECTRIC ROUTER

Model.	M1R-DB4-8	M1R-DB4-12
Collet Capacity	8mm	12mm
Input Power	1200W	1600W
Rated voltage/frequency	230V-240V/50Hz	230V-240V/50Hz
No Load Speed	10000-28000rpm	10000-30000rpm
Net Weight	3.5kgs	3.5kgs
Packing Size	29.5x14.5x25.5cm	29.5x14.5x25.5cm

110mm MARBLE CUTTER

Model.	Z1E-DB-110
Blade Capacity	110mm
Max Cut 90°	34mm
Input Power	1200W
Rated voltage/frequency	230V-240V/50Hz
No Load Speed	13500rpm
Net Weight	3.6kgs
Packing Size	25x22x17.5cm

HOT

110mm/125mm MARBLE CUTTER

Model.	YD110-01
Blade Capacity	110mm/125mm
Max Cut 90°	34mm
Input Power	1280W
Rated voltage/frequency	230V-240V/50Hz
No Load Speed	13000rpm
Net Weight	3.5kgs
Packing Size	

HOT

110mm/125mm MARBLE CUTTER

Model.	YD110-02
Blade Capacity	110mm/125mm
Max Cut 90°	34mm
Input Power	1480W
Rated voltage/frequency	230V-240V/50Hz
No Load Speed	13000rpm
Net Weight	3.5kgs
Packing Size	